

## Berkeley County Solid Waste Authority Stream Cleanup Program 2020

Date	Waterway	Miles	Specific	Illicit Discharges	Bags/Items	Participants	Time
3/21/2020	Opequon Creek	0.5	Stonebridge Public Access	0	6 bags and 7 bulky items	Althea Bayer, Clint Hogbin, Zach Frye	9:00 am - 5:00pm
5/24/2020	Opequon Creek	2	Rt 9 to Rt 45	0	6 bags, 1 tires and 4 bulky items	Althea Bayer, Clint Hogbin, Zach Frye, Ron Holder	9:00 am - 5:00pm
5/25/2020	Opequon Creek	0.5	Stonebridge Public Access	0	5 bags, 2 bulky items	Althea Bayer, Clint Hogbin	9:30 am - 5:30pm
5/30/2020	Opequon Creek	2	Stonebridge Public Access	0	12 tires, 3 bags, 5 bulky items	Althea Bayer, Ron Holder, Zach Frye, Clint Hogbin	9:00 am - 5:00pm
6/6/2020	Opequon Creek	2	Rt 9, Paynes Ford, Bower, Strobridge, Rt 51 and Priest Springs Public Access Areas	0	10 tires, 7 bags, 8 bulky items	Althea Bayer, Cameron Frye, Clint Hogbin, Dustin	9:00 am - 5:00pm
6/13/2020	Back Creek	4	Rt 9 Bridge to Allensville Road	3	10 tires, 6 bags, 12 bulky items	Althea Bayer, Zach Frye, Clint Hogbin, Marcus Henderson, Mark Barney	9:00 am - 7:00pm
6/20/2020	Back Creek	2	Private Acces to Allensville Bridge	0	34 tires, 1 bag, 5 bulky items	Althea Bayer, Zach Frye, Clint Hogbin, Marcus Henderson, Tony Petrucci	9:00 am - 7:00pm
6/27/2020	Back Creek	6	McCubbin's Hollow to Shanghai Public Access Bridge	0	4 tires, 5 bag, 6 bulky items	Althea Bayer, Zach Frye, Clint Hogbin, Marcus Henderson, Matthew Grove	9:00 am - 8:00pm

**BERKELEY COUNTY ENGINEERING AND  
BUILDING INSPECTIONS**

400 West Stephen Street - Suite 202, Martinsburg, WV 25401-3838  
Telephone: 304-264-1966, Fax: 304-262-3128  
Web Page: [www.berkeleywv.org](http://www.berkeleywv.org)

27 June 2020

**Greenway  
704 Foxcroft Ave.  
Martinsburg, WV 25401**

Re: Jackson Hills (024-20) Sketch Plan  
Engineering Comments


Randy:

A review of the above mentioned project has been completed and the following comments need to be addressed:

1. Some of the units are within the Flood Advisory Zone, as is well documented in this area.
2. Access road past Chandlers Glen is susceptible over (stormwater) topping.
3. Add a typical of the boulevard section.
4. For the SWM concept meeting please have in mind the SWM/BMP/Drainage intentions, be considering how the boulevard's impervious is to be addressed.
5. Address any comments Planning may generate on the plan.

If there are any questions, please contact me at 304.267.5090 or by email.

Respectfully



Dirk Stansbury, P.E.  
Berkeley County Engineer  
[dstansbury@berkeleywv.org](mailto:dstansbury@berkeleywv.org)

c: Heather Williams  
Laura Hoffmaster

## **Zack Walburn**

---

**From:** Zack Walburn  
**Sent:** Wednesday, July 1, 2020 12:16 PM  
**To:** Don Criss  
**Cc:** David Billmyer  
**Subject:** Berkeley County, WV Sinkhole Remediation  
**Attachments:** 20200626\_143938.jpg; 20200624\_110924.jpg; 20200624\_110935.jpg

Zack Walburn has shared OneDrive for Business files with you. To view them, click the links below.

Hello Don,

Thank you for returning my call the other day. We've been extremely busy with inspections and stormwater complaints over the past few months and have run into a number of issues recently with the formation of sinkholes. Specifically, last week we were made aware of three sinkholes that have formed due to post-construction stormwater runoff. One of the sinkholes formed in a large extended detention basin in a local subdivision, another sinkhole formed as a result of off-site stormwater being directed to private property from an adjacent apartment complex's SWM pond, the last sinkhole formed within the stormwater conveyance system of an existing subdivision but may have been caused by off-site industrial stormwater discharge.

I want to be sure that the advice that we provide to the HOAs, landowners, and industries related to sinkhole remediation is correct and that's why I reached out to you. I'd greatly appreciate it if you could provide me with a detailed procedure as to how these situations should be handled in terms of permitting and external agency coordination. Please, let me know if you'd like to discuss the specific sites further. Attached are some photos and links to videos for the previously mentioned sink holes. I would greatly appreciate your help in resolving these matters.

Best Regards,

**Zack Walburn, MS4 Coordinator**  
**Berkeley County Public Service**  
**Storm Water District**



65 District Way  
P.O. Box 944  
Martinsburg, WV 25402  
Telephone: (304) 263-8566 Ext. 220  
Direct: (304) 596-2269  
Cell: (304) 671-9897  
Fax: (304) 267-2952  
E-mail: [zwalburn@bcpsd.com](mailto:zwalburn@bcpsd.com)



*Figure 1. Sinkhole at 2212 Delmar Orchard Rd. adjacent to Lee Trace Apartments in Martinsburg, WV*



*Figure 2. Sinkhole in the Archer's Rock Subdivision SWM Pond*